

Channel	Position	Unit#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(1)	Catwalk	14	Source 4 19deg 750w	FL-A1	 R54	2	1/2
	"	15	"	"	"	"	"
(2)	Catwalk	11	Source 4 19deg 750w	FL-A2	 R54	1	1/1
	"	12	"	"	"	"	"
(3)	Catwalk	8	Source 4 19deg 750w	FL-A3	 R54	3	1/3
	"	9	"	"	"	"	"
(4)	Catwalk	5	Source 4 19deg 750w	FL-A4	 R54	5	1/5
	"	6	"	"	"	"	"
(5)	Catwalk	2	Source 4 19deg 750w	FL-A5	 R54	7	1/7
	"	3	"	"	"	"	"
(6)	FOH Pipe	11	Source 4 50deg 575w	FL-A6	 R54	139	1/139
(7)	FOH Pipe	7	Source 4 50deg 575w	FL-A7	 R54	138	1/138
(8)	FOH Pipe	6	Source 4 50deg 575w	FL-A8	 R54	137	1/137
(9)	FOH Pipe	5	Source 4 50deg 575w	FL-A9	 R54	135	1/135
(10)	FOH Pipe	1	Source 4 50deg 575w	FL-A10	 R54	134	1/134
(11)	1st Electric	18	Source 4 50deg 575w	FL-A11	 R54	50	1/50
(12)	1st Electric	15	Source 4 50deg 575w	FL-A12	 R54	46	1/46
(13)	1st Electric	11	Source 4 50deg 575w	FL-A13	 R54	40	1/40
(14)	1st Electric	7	Source 4 50deg 575w	FL-A14	 R54	35	1/35
(15)	1st Electric	4	Source 4 50deg 575w	FL-A15	 R54	28	1/28
(21)	SR Torm	2	Source 4 36deg 575w	XL-A1-A3	 R04	22	1/22
(22)	SR Torm	1	Source 4 26deg 575w	XL-A3-A5	 R04	23	1/23
(26)	1st Electric	20	Source 4 36deg 575w	XL-A6	 R04	55	1/55
(27)	1st Electric	19	Source 4 36deg 575w	XL-A7	 R04	51	1/51
(28)	1st Electric	16	Source 4 36deg 575w	XL-A8	 R04	47	1/47
(29)	1st Electric	12	Source 4 36deg 575w	XL-A9	 R04	41	1/41
(30)	1st Electric	8	Source 4 36deg 575w	XL-A10	 R04	36	1/36

Channel Hookup

Channel	Position	Unit#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(31)	2nd Electric	17	Source 4 36deg 575w	XL-A11	 R04	89	1/89
(32)	2nd Electric	16	Source 4 36deg 575w	XL-A12	 R04	84	1/84
(33)	2nd Electric	14	Source 4 36deg 575w	XL-A13	 R04	80	1/80
(34)	2nd Electric	11	Source 4 36deg 575w	XL-A14	 R04	75	1/75
(35)	2nd Electric	8	Source 4 36deg 575w	XL-A15	 R04	72	1/72
(36)	4th Electric	30	Source 4 36deg 575w	XL-A16-A17	 R04	110	1/110
(37)	4th Electric	29	Source 4 36deg 575w	XL-A17-A18	 R04	109	1/109
(38)	4th Electric	28	Source 4 26deg 575w	XL-A18-A20	 R04	108	1/108
(41)	SL Torm	1	Source 4 26deg 575w	XL-A1-A3	 R361	16	1/16
(42)	SL Torm	2	Source 4 36deg 575w	XL-A3-A4	 R361	17	1/17
(46)	1st Electric	13	Source 4 36deg 575w	XL-A6	 R361	44	1/44
(47)	1st Electric	9	Source 4 36deg 575w	XL-A7	 R361	38	1/38
(48)	1st Electric	5	Source 4 36deg 575w	XL-A8	 R361	34	1/34
(49)	1st Electric	2	Source 4 36deg 575w	XL-A9	 R361	29	1/29
(50)	1st Electric	1	Source 4 36deg 575w	XL-A10	 R361	25	1/25
(51)	2nd Electric	12	Source 4 36deg 575w	XL-A11	 R361	76	1/76
(52)	2nd Electric	9	Source 4 36deg 575w	XL-A12	 R361	71	1/71
(53)	2nd Electric	6	Source 4 36deg 575w	XL-A13	 R361	67	1/67
(54)	2nd Electric	4	Source 4 36deg 575w	XL-A14	 R361	62	1/62
(55)	2nd Electric	3	Source 4 36deg 575w	XL-A15	 R361	57	1/57
(56)	4th Electric	3	Source 4 26deg 575w	XL-A16-A17	 R361	92	1/92
(57)	4th Electric	2	Source 4 36deg 575w	XL-A17-A18	 R361	91	1/91
(58)	4th Electric	1	Source 4 36deg 575w	XL-A18-A20	 R361	90	1/90

Channel	Position	Unit#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(61)	4th Electric	6	Sky Cyc 1 Cell 1kW	CYC-RED	 R124	97	1/97
	"	9	"	"	"	"	"
	"	12	"	"	"	100	1/100
	"	15	"	"	"	"	"
	"	18	"	"	"	103	1/103
	"	21	"	"	"	"	"
	"	24	"	"	"	107	1/107
	"	27	"	"	"	"	"
(62)	4th Electric	5	Sky Cyc 1 Cell 1kW	CYC- GREEN	 R126	94	1/94
	"	8	"	"	"	"	"
	"	11	"	"	"	99	1/99
	"	14	"	"	"	"	"
	"	17	"	"	"	102	1/102
	"	20	"	"	"	"	"
	"	23	"	"	"	106	1/106
	"	26	"	"	"	"	"
(63)	4th Electric	4	Sky Cyc 1 Cell 1kW	CYC-BLUE	 R83 + R104	95	1/95
	"	7	"	"	"	"	"
	"	10	"	"	"	98	1/98
	"	13	"	"	"	"	"
	"	16	"	"	"	101	1/101
	"	19	"	"	"	"	"
	"	22	"	"	"	105	1/105
	"	25	"	"	"	"	"
(71)	HL Cove Sidearm 2	1	Source 4 26deg 750w	Diag Wsh- Wm	 R26	13	1/13
	"	2	Source 4 19deg 750w	"	"	"	"
(72)	HR Cove Sidearm 2	1	Source 4 26deg 750w	Diag Wsh- Wm	 R26	10	1/10
	"	2	Source 4 19deg 750w	"	"	"	"

Channel Hookup

Channel	Position	Unit#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(73)	HL Cove Sidearm 1	1	Source 4 19deg 750w	Diag Wsh-Cl	 R83	14	1/14
	"	2	Source 4 26deg 750w	"	"	"	"
(74)	HR Cove Sidearm 1	1	Source 4 19deg 750w	Diag Wsh-Cl	 R83	11	1/11
	"	2	Source 4 26deg 750w	"	"	"	"
(81)	Catwalk	13	S4 PAR NSP 575w	Pit Wash-SL	 NC	6	1/6
	"	16	"	"	"	"	"
(82)	Catwalk	7	S4 PAR NSP 575w	Pit Wash-CTR	 NC	4	1/4
	"	10	"	"	"	"	"
(83)	Catwalk	1	S4 PAR NSP 575w	Pit Wash-SL	 NC	8	1/8
	"	4	"	"	"	"	"
(84)	FOH Pipe	2	S4 PAR WFL 575w	Crtn Wrnr	 NC	140	1/140
	"	3	"	"	"	"	"
	"	9	"	"	"	"	"
	"	10	"	"	"	"	"
(101)	1st Electric	17	Spectra Star Par 100-WFL 575w	TL-A1	 RGBA	2/1	
(102)	1st Electric	14	Spectra Star Par 100-WFL 575w	TL-A2	 RGBA	2/11	
(103)	1st Electric	10	Spectra Star Par 100-WFL 575w	TL-A3	 RGBA	2/21	
(104)	1st Electric	6	Spectra Star Par 100-WFL 575w	TL-A4	 RGBA	2/31	
(105)	1st Electric	3	Spectra Star Par 100-WFL 575w	TL-A5	 RGBA	2/41	
(106)	2nd Electric	15	Spectra Star Par 100-WFL 575w	TL-A6	 RGBA	2/51	
(107)	2nd Electric	13	Spectra Star Par 100-WFL 575w	TL-A7	 RGBA	2/61	
(108)	2nd Electric	10	Spectra Star Par 100-WFL 575w	TL-T8	 RGBA	2/71	

Channel Hookup

Channel	Position	Unit#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(109)	2nd Electric	7	Spectra Star Par 100-WFL 575w	TL-A9	 RGBA		2/81
(110)	2nd Electric	5	Spectra Star Par 100-WFL 575w	TL-A10	 RGBA		2/91
(111)	3rd Electric	5	Spectra Star Par 100-WFL 575w	TL-A11	 RGBA		2/101
(112)	3rd Electric	4	Spectra Star Par 100-WFL 575w	TL-A12	 RGBA		2/111
(113)	3rd Electric	3	Spectra Star Par 100-WFL 575w	TL-A13	 RGBA		2/121
(114)	3rd Electric	2	Spectra Star Par 100-WFL 575w	TL-A14	 RGBA		2/131
(115)	3rd Electric	1	Spectra Star Par 100-WFL 575w	TL-A15	 RGBA		2/141
(201)	2nd Electric	1	S4 PAR WFL 575w	RunLight	 R80	58	1/58
	"	2	"	"	"	"	"
(202)	2nd Electric	18	S4 PAR WFL 575w	RunLight	 R80	88	1/88
	"	19	"	"	"	"	"
(250)		WORKS	Work Lights	Work Light			
(500)		HOUSE	House Lights	House Light			